



Enstrom Aircraft Pump Eligibilities



Weldon's Enstrom Aircraft eligible pumps are designed, built, and tested to meet the demands of the aircraft. Whether original to the application or as a replacement, the same attention to quality is delivered.

Weldon pumps are built to the highest AS9100 standards and offer the quality and safety you are looking for in a pump. We provide a two-year warranty on new pumps and a one-year warranty on factory overhauled pumps when used in the intended application.



SAI GLOBAL
AS9100
Aerospace

Weldon Pump Number

A8110-G

Airframe Eligibility

Enstrom F28-A, 280

Usage

Fuel Boost

Minimum Capacity

22 GPH (129 PPH) @
16 PSI @ 13.5 VDC

Max Current Draw

5.0 Amps

Port Size

-6

Max Full Relief Pressure (No flow)

24-27 PSI @ 13.5 VDC

Test Fluid

Aviation Gasoline

Weldon Pump Number

A10019-D

Airframe Eligibility

Enstrom F-28C, 280C, F-28F, 280F, 280FX

Usage

Fuel Boost

Minimum Capacity

75 GPH (441 PPH) @
22 PSIG @ 14 VDC

Max Current Draw

6.5 Amps

Port Size

-8

Max Full Relief Pressure (No flow)

27 PSIG @ 14 VDC

Test Fluid

Aviation Gasoline

Weldon Pump Number

A10019-E

Airframe Eligibility

Enstrom F-28A, 280C, F-28F, 280F, 280FX

Usage

Fuel Boost

Minimum Capacity

75 GPH (441 PPH) @
22 PSIG @ 28 VDC

Max Current Draw

3.5 Amps

Port Size

-8

Max Full Relief Pressure (No flow)

27 PSIG @ 28 VDC

Test Fluid

Aviation Gasoline

640 Golden Oak Parkway / Cleveland, Ohio 44146, U.S.A
FAA Repair Station No.: 2WPR261B / EASA.145.6706
Ph: 440.232.2282 / Web: WeldonPumps.com